



Cushion
MATS

**PLAIN & DESIGN
CARPETS**



**WOODEN / VINYL
FLOORING**

**VENETIAN & VERTICAL
BLIND**



**WALL PAPER
&
FILM**



A. K. INTERNATIONAL

12/1, S. A. ALI AVE., KOL. - 17, PHONE : 2281-7518, 2280-9034/ 9830117275





5201 Bronzefire

MERIDIEN Specifications

| | |
|---------------|---|
| Construction | 1/10" Tufted Level Loop Stripe |
| Fibre | 100% BCF Solution Dyed Synthetic |
| Pile Weight | ca. 750g/m ² (22 oz/y ²) |
| Total Weight | ca. 4600g/m ² (118 oz/y ²) |
| Pile height | ca. 3.5mm |
| Total height | ca. 6mm |
| Backing | PVC - Backing with Fibre Glass Layer |
| Size per Tile | 50x50cm |
| Tiles per Box | 20 pcs (5 m ²) |

Warranties

10-year Carpet Wear Warranty
Lifetime Antishock Carpet Warranty

Ideal for Medium Commercial Use.

Performance (as tested by ITTS Inc. USA)

| | |
|-----------------------|---------------------------------------|
| Stain Resistance | 10 No residual stain (AATCC-175-1993) |
| Static Generation | Permanently antistatic |
| Tuft Bind | 7.6 lbs (ASTM-D-1335) |
| Dimensional Stability | Max 2% change (AACHEN) |
| Flammability | |
| Radiant Panel | Class 1 (ASTM-E-648) |
| Pill Test | Self-extinguishing (ASTM-D-2859) |
| Smoke Density | Max 450 (ASTM-E-662) |
| Colourfastness | |
| to light | 5 (AATCC-165) |
| to wet & dry cleaning | 5 (AATCC-165) |
| to Ozone | 5 (AATCC-129) |

Environment

The design and production of Meridien Tile conforms to the ISO 14001:2004 Environmental Management System and complies with environmental regulations.

Meridien Tile is an environmentally friendly "green" carpet.



Recommended Laying Method



Quarter Turn



5201 BRONZE FIRE



5208 FLINTROCK



5209 TIDEWATER



5208 Flintrock



5209 Tidewater

