



Cushion
MATS

**PLAIN & DESIGN
CARPETS**



**WOODEN / VINYL
FLOORING**

**VENETIAN & VERTICAL
BLIND**



**WALL PAPER
&
FILM**



A. K. INTERNATIONAL

12/1, S. A. ALI AVE., KOL. - 17, PHONE : 2281-7518, 2280-9034/ 9830117275



Elegance & Comfort in Modern Living



MIKO



MIKO Specifications

Construction	1/10th Gauge Loop Pile
Fibre	100% BCF Solution Dyed Synthetic
	3000 Denier 3-ply
Pile Weight	ca. 610g/m ² (18 oz/y ²)
Total Weight	ca. 3500g/m ² (103 oz/y ²)
Pile height	ca. 3mm
Stitches	48/10cm (12.3/inch)
Backing	ECO Back - "PVC Free"
Size per Tile	50x50cm
Tiles Per Box	24 pcs (6m ²)

Warranties

5-year Carpet Wear Warranty
Lifetime Antishock Carpet Warranty

Ideal for Medium Commercial Use.

Performance

Stain Resistance	5.0 (AATCC 175-1993)
Static Generation	Maximum 4.0 kv
Flammability	Radiant Panel ASTM E648 - Class I
Lightfastness	L5
Change on wet cleaning	Grey Scale 5

Environment

The design and production of Miko Tile conforms to the ISO 14001:2004 Environmental Management System and complies with environmental regulations.

Miko Tile does not contain any PVC in its manufactured materials and packaging

Miko Tile is an environmentally friendly "green" carpet.



Recommended Laying Method



Monolithic



Quarter Turn



8858 BRILLIANT RED



8804 FEDORA GREY



8899 DARK CHARCOAL



8812 BLUE LAPIS



8813 AQUA GLOW



8898 FIESTA BLUE



8829 BLUE MOUNTAIN



8831 COFFEE BEAN



8868 COPPER WOOD



8878 SAND REEF