



Cushion
MATS

**PLAIN & DESIGN
CARPETS**



**WOODEN / VINYL
FLOORING**

**VENETIAN & VERTICAL
BLIND**



**WALL PAPER
&
FILM**

A. K. INTERNATIONAL

12/1, S. A. ALI AVE., KOL. - 17, PHONE : 2281-7518, 2280-9034/ 9830117275



Elegance & Comfort in Modern Living



MODUS 1 - TRIONES



MODUS 1 - TRIONES Specifications

Construction	1/12th Gauge Textured Pattern
Fibre	100% BCF Solution Dyed Synthetic
Pile Weight	ca. 880g/m ² (26 oz/y ²)
Total Weight	ca. 3820g/m ² (112 oz/y ²)
Pile height	ca. 4mm
Total height	ca. 10mm
Backing	*PVC Free* Premium Cushion Backing with Fibre Glass Layer
Size per Tile	36"x36" (91.5cm x 91.5cm)
Tiles per Box	6 pc (5.02 m ²)

Warranties

10-year Limited Carpet Wear Warranty
Lifetime Antishock Carpet Warranty

Ideal for Medium Contract Use

Performance (as tested by ITTS Inc. USA)

Stain Resistance	10 (AATCC-175-1999)
Static Generation	Permanently antistatic
Tuft Bind	10 lbs (ASTM-D-1335)
Dimensional Stability	< 0.1% change (AACHEN)
Flammability	
Radiant Panel	>= 0.10 watts/cm ² (ASTM-E-648)
Pill Test	Self-extinguishing (ASTM-D-2859)
Smoke Density	Max 450 (ASTM-E-662)
Colourfastness	
to light	5 (AATCC-16E)
to wet & dry cleaning	5 (AATCC-16S)
to ozone	5 (AATCC-129)

Environment

The design and production of Modus 1 Tile conforms to the ISO 14001:2004 Environmental Management System and complies with environmental regulations.

Modus 1 Tile is an environmentally friendly "green" carpet.



Recommended Laying Method



Mosaic tile



1102 SPINDRIFT



1104 LARKSPUR

MODUS 1 - TRIONES PROJECTS



MODUS 1 - TRIONES 1102 LARKSPUR
Office Lounge Singapore