



Cushion
MATS

**PLAIN & DESIGN
CARPETS**



**WOODEN / VINYL
FLOORING**

**VENETIAN & VERTICAL
BLIND**



**WALL PAPER
&
FILM**



A. K. INTERNATIONAL

12/1, S. A. ALI AVE., KOL. - 17, PHONE : 2281-7518, 2280-9034/ 9830117275




Elegance & Comfort in Modern Living



MODUS 3 - ANTARCTICA



MODUS 3 - 3305 GLACIER



MODUS 3 - 3305 GLACIER

MODUS 3 - ANTARCTICA Specifications

Construction	1/12th Gauge Textured Pattern
Fibre	100% BCF Solution Dyed Synthetic
Pile Weight	ca. 880g/m ² (26 oz/y ²)
Total Weight	ca. 3820g/m ² (112 oz/y ²)
Pile height	ca. 4mm
Total height	ca. 10mm
Backing	"PVC Free" Premium Cushion Backing with Fibre Glass Layer
Size per Tile	36"x36" (91.5cm x 91.5cm)
Tiles per Box	6 pc (5.02 m ²)

Warranties

10-year Limited Carpet Wear Warranty
Lifetime Antishock Carpet Warranty

Ideal for Medium Contract Use

Performance (as tested by ITTS Inc. USA)

Stain Resistance	10 (AATCC-175-1993)
Static Generation	Permanently antistatic
Tuft Bind	10 lbs (ASTM-D-1335)
Dimensional Stability	< 0.1% change (AACHEN)
Flammability	
Radiant Panel	>= 0.10 watts/cm ² (ASTM-E-648)
Pill Test	Self-extinguishing (ASTM-D-2859)
Smoke Density	Max 450 (ASTM-E-662)
Colourfastness	
to light	5 (AATCC-16E)
to wet & dry cleaning	5 (AATCC-16S)
to ozone	5 (AATCC-129)

Manufacturer's Quality Certificate ISO 9002

Environment

The design and production of Modus 3 Tile conforms to the ISO 14001:2004 Environmental Management System and complies with environmental regulations.

Modus 3 Tile is an environmentally friendly "green" carpet.

Recommended Laying Method



Monolithic



3305 GLACIER



3306 FIRETHORN

MODUS 3 - ANTARCTICA

MODUS 3 - ANTARCTICA PROJECTS



MODUS 3 - ANTARCTICA 3306 FIRETHORN
Admin Office Hoyany Offshore, Singapore